

# EG 001




MAIN FRAME - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

INFILL - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements).

FINISH - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

SIZE RESTRICTIONS - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 002




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 vertical slats at nominal 15mm spacing (adjust to suit your requirements).

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 003



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 vertical slats at nominal 15mm spacing (adjust to suit your requirements). Bottom slats horizontal and no spacing.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 004




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Bottom slats 65x16 horizontal and no spacing.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.


**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 005



MAIN FRAME - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.  
INFILL - Alternate 65x16 and 38x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements).  
FINISH - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.  
SIZE RESTRICTIONS - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 006




MAIN FRAME - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

INFILL - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements).

FINISH - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.


SIZE RESTRICTIONS - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 008



MAIN FRAME - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.  
INFILL - Alternate 65x16 and 38x16 vertical slats at nominal 15mm spacing (adjust to suit your requirements).  
FINISH - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.  
SIZE RESTRICTIONS - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 009




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements).

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 010




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Frame only for fill of your choice. Mullions or transoms can be ordered.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 011



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 horizontal slats at nominal 45mm spacing (adjust to suit your requirements).

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.


**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 014



MAIN FRAME - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.  
INFILL - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Bottom slats half top spacing.  
FINISH - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.  
SIZE RESTRICTIONS - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 015



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 016



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 017



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 018




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 019



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 020




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 021



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

## EG 022




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

## EG 023



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 024




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 025




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 026



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

## EG 027



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

## EG 028




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 029




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 030




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 031



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

## EG 032



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 033



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 65x16 horizontal slats at nominal 15mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 034




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - 38x16 vertical slats at nominal 100mm spacing (adjust to suit your requirements). Decorative panel can be adjusted to anywhere in the gate.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners.

# EG 1-0001



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0001 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0002



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0002 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0003




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0003 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0004



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0004 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0005




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0005 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0006



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0006 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0007




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0007 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0008




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0008 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0009



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0009 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0010



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0010 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0018



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0018 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0019



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0019 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0020



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0020 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0022



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0022 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0023



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0023 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0028




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0028 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0029



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0029 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0031



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0031 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

EG 1-0037



MAIN FRAME - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

INFILL - Water jet panel design 0037 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

FINISH - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

SIZE RESTRICTIONS - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

EG 1-0038



MAIN FRAME - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

INFILL - Water jet panel design 0038 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

FINISH - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

SIZE RESTRICTIONS - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0041




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0041 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0062



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0062 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

EG 1-0064



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0064 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0066



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0067 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0068



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0066 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0073




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0073 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0074




MAIN FRAME - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

INFILL - Water jet panel design 0074 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

FINISH - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

SIZE RESTRICTIONS - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0075



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0075 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

## EG 1-0076




**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0076 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

# EG 1-0079



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0079 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.

EG 1-0092



**MAIN FRAME** - Standard gate main frame 75x50x3. Mitred corners with extruded 5mm thick corner stakes.

**INFILL** - Water jet panel design 0092 in 3mm aluminium. Back brace over 3150mm wide. Easy rubber finishing insert.

**FINISH** - Pre treatment and powder coat. Kit includes covers to conceal all infill fastening points.

**SIZE RESTRICTIONS** - Maximum width 1500mm. Larger gates use Easy gate frame and corners. Maximum height 1650mm.